2015 Corn Plot Harvest Results

| CORN HARVEST FORM | COR | | | | | | | | | eds | on Seed | Larsor | Jack | eed Dealer: | S | | VIN | WAYNE PANKON | Cooperator | | |
|-------------------|-------------------|--|--------|----------|----|---|---------------|--------|---------------|------|-----------|-----------|----------------|--------------|-------------|------------------|----------------------|-------------------|--------------------|------|--|
| | _ | | | | i. | City, State: Clements Mn. 56224 | | | | | | | | | JENSEN FARM | Mailing Address: | | | | | |
| Assume: | | | | | 2 | Telephone: 507-723-4302 Contact: Jack, Johnny, & Steve Prior Yr Herb: | | | | | | | | | þ | DOUBLE PRO | SMART STAX V | City, State, Zip: | | | |
| Selling Price | | | | | | | | 4 | ₩ | 9 | , & Steve | lohnny, 8 | Jack, J | Contact: | | | | | County: | | |
| <u>\$3.50</u> | · | Us!! | th 1 | Wi | | | | is | in the second | | | | | ior Yr Herb: | Pr | | | Telephone: | | | |
| Per Bushel | | | | | | | | | | | | | | PreEHerb: | | | | d and Trait Rep: | Se | | |
| 5.0 Drying Charge | 15.0 | isture % | d. Moi | St | | | | | | | | | | ate applied: | Da | _ | | 4/23/15 | | | |
| Per Moisture Pt. | | Soil pH: | ! | | | A | | | - | | | | | ate applied: | Ra | | | 150,000 | ting Population: | Pla | |
| \$0.04 | | atter (%): | | Organ | | NTS. | CALLS . | 運 | | | | | | PostEHerb: | | | | | Harvest Date: | | |
| | | Texture: | | • | | 415 | ORMANCE COUNT | PERFOR | WHEN | | | | | ate applied: | | | | | Width (inches): 3 | | |
| | | d (lb/ac): | polied | N-P-K A | | | | | | | | | | ate applied: | | | | | Previous Crop: | | |
| | | . Timing: | | | | | | | | | | | | Insecticide: | | S | | | Tillage Type: | | |
| | | Results: | | | | | | | | | | | | ate applied: | | | | | Ground Cover: | | |
| | | sphorus: | | | | | | | 1 | | | | | ate applied: | | | 1 | | ears in Con Till: | | |
| | | tassium: | | | | | | | | | | | | Fungicide: | | | _ | | oliar Insecticide: | | |
| | | | | Irrigate | | | | | | | | | | ate applied: | | | _ | | Date applied: | | |
| | | Irrigated (Yes or No): Experiment Number: | | | | | | | | | | | | ate applied: | | | 1 | | Rate applied: | | |
| | | est Type: | | | | | | | | | | | | ис иррпси. | 130 | | | | escribe Residue: | | |
| | | System: | | | | | | | | | | | | | | | | | rections to Plot: | | |
| se Grower Nar | | ignature | _ | | _ | | | | | | | | | | | | Loc. of Plot Row #1: | | | | |
| se Glower Nai | P | ignature | vei Si | GIO | | | | | | | | | ation (ft) | Elove | | (Long.) W | | (Latitude) N | PS Coordinates: | | |
| | | | | Test | | | Yield | d | Counte | | | | ַנווטוו (וג) [| LIEVO | | Soil | | . (Latitude) N | ro coordinates. | | |
| | | ross | G | Weight | | | @ 15% | | Harves | # of | w : | Row | Row | % Grain | Pounds | Applied | Seed | | | ntry | |
| Rank Comment | Rank | come | Inc | Lbs/Bu | nk | Ran | Bu/A | on | Population | Rows | gth R | Lengtl | Width | Moisture | | Insecticide | Treatment | Hybrid | Brand | No. | |
| 2 | 2 | 765.76 | \$ | 56.3 | 2 | 2 | 223.1 | | | 6 | 18 | 548 | 30 | 16.7 | 2406 | | Double Pro | DKC52-85 | EKALB | 1 | |
| 1 | 1 | 796.92 | \$ | 56.7 | | 1 | 231.9 | | | 6 | 18 | 548 | 30 | 16.6 | 2498 | | Smartstax | DKC52-84 | EKALB | 2 | |
| | | | | | | | | | | | | | | | | | | | | 3 | |
| | | | | | | | | | | | | | | | | | | | | 4 | |
| | | | | | | | | | | | | | | | | | | | | 5 | |
| | | | | | | | | | | | | | | | | | | | | 6 | |
| | | | | | | | | | | | | | | | | | | | | 7 | |
| | \rightarrow | | | | | | | | | | | | | | | | | | | | |
| | \longrightarrow | | | | | | | | | | | | | | | | | | | 8 | |
| | \vdash | | | | - | | | | | | | | | | | | | | | 9 | |
| | \vdash | | | | | | | | | | | | | | | | | | | 10 | |
| | | | | | | | | | | | | | | | | | | | | 11 | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | ' | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | + | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| _ | _ | | | | | | | | | | | | | | | | | | | | |

| _ | | | | Soil Seed Applied Pounds % Grain Row Row Treatment Insecticide Moisture Width Length | | | | | | Counted Harvest | Yield @ 15% | | Test Weight Gross Rank Lbs/Bu Income Rank Comment | | | | |
|--------------|------------|--------|-----------|--|--------|---------------------|-------|---------------|--------------|--------------------|----------------|-------|---|-----------------|--------------|--|--|
| Entry No. | / Brand | Hybrid | Seed | Applied | Pounds | % Grain Moisture | Row | Row Length | # of Rows | Harvest Population | @ 15% | Donk | Weight | Gross Income | Rank Comment | | |
| NO. | Branu | пурпа | Treatment | Insecticiae | | Worsture | Width | Lengin | ROWS | Population | DU/A | Kalir | LD5/DU | income | Rank Comment | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | · | | · · | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

2015 Corn Plot Harvest Results

Counted

Yield

Test

| Entry | | | Seed | Applied | Pounds | % Grain | Row | Row | # of | Harvest | @ 15% | | Weight | Gross | |
|-----------|-------------------|--|-----------------|-----------------|---------------|--------------|------------|----------------|---------------|--------------|-------------|---------|--------|----------|--------------|
| No. | Brand | Hybrid | Treatment | Insecticide | | Moisture | Width | Length | Rows | Population | Bu/A | Rank | Lbs/Bu | Income | Rank Comment |
| Test Plot | Release - Crop | 2009 | | | | | | | | | | | | | |
| my fields | (in whole or in p | Company, include part with such ch said test plot da | anges in langu | age as do not | substantially | alter the me | eaning), t | he GPS coo | rdinates for | | | | 0 | or tapes | |
| Ye | es, my name, fie | ld location (inclu | ding GPS coord | dinates), and I | ikeness may | be used in | publishin | g test plot da | ita results b | y Monsanto. | | | | | |
| l a | gree to publishi | ng by Monsanto | of my test plot | data results, b | ut do not us | e my name, | field loca | tion or likene | ess. | | | | | | |
| Signed: _ | | | | | | | | | | Grower Signa | ature via l | nandhel | d | | |
| Date: | | | | | | | | | | | | | | | |

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Soil