2010 Soybean Dlot Harvest Results

57.3

53.9

53.5

57.1

48.3

53.1

53.2

5

10

12

15

14

13

55.9

56.7

56.8

56.2

58.9

60.3

59.4

| | | | | | | | 2019 Soyl | ean Piot Harve | st Results | | | | | | | | | | |
|------------------------------|----------------------|--------------|---------------|-------------|-------------|-----------------------------|-------------|---------------------------|------------------------|------------|-----------------|------|--------------------|-------------|---------------|------------------------|------------|--|--|
| Cooperator: Larson's North V | | | | | | | | Jack Larson Seeds | | | | | | | OYBEAN HARV | | | | |
| | Mailing Address: | | | | | City, State: | Clemen | ts Mn. 56224 | | | 500 | 12 | | | | | | | |
| | City, State, Zip: | | | | | Telephone | | -723-4302 | | | | | With Us!!! | | | Ass | | | |
| | County: | | | | | Contact | | | | | | | With Us!!! | | | | Sellir | | |
| | Telephone: | | | | ı | Prior Yr Herb: PreEHerb: | | | | | | | | | | | <u>\$9</u> | | |
| | Seed and Trait Rep: | | | | | | | | | | | | | | Per | | | | |
| | Planting Date: | 6/8/19 | | | | Date applied: | | | | Drying | | | | | | | | | |
| | Planting Population: | 150,000 | | | | Rate applied: | | | | | | | | Soil pH: | | | | | |
| | Harvest Date: | 10/18/19 | | | | PostEHerb | | | | | | | (| Organi | ic Matter (%) | : | <u>\$(</u> | | |
| | Row Width (inches): | 30 | | | | Date applied: | : | | | | | | | | Soil Texture | : | | | |
| | Previous Crop: | | Rate applied: | | | | | | ASGROW | | | | | | | N-P-K Applied (lb/ac): | | | |
| | Tillage Type: | | | | Soil Applie | d Insecticide: | : | $\mathbf{W}_{\mathbb{R}}$ | ® N. App. Timing: | | | | | | | | | | |
| | % Ground Cover: | | | | | Date applied: | | | | | | | Soil Test Results: | | | | | | |
| | Years in Con Till: | | | | | Rate applied: | : | | | | | | | Phosphorus: | | | | | |
| | Foliar Insecticide: | | | | Foli | ar Fungicide: | | | | | | | | | Potassium: | | | | |
| | Date applied: | | | | | Date applied: | : | | Irrigated (Yes or No): | | | | | | | | | | |
| | Rate applied: | | | | | Rate applied: | | | | | | | | cperin | nent Number | : | | | |
| | Describe Residue: | | | | | | | | | | Plot Test Type: | | | | | | | | |
| | Directions to Plot: | | | | | | | | | | | | | W | eigh System | : | | | |
| | Loc. of Plot Row #1: | | | | | | | | | | | | | Grov | ver Signature |) | Use Grower | | |
| | GPS Coordinates: | (Latitude) N | | (Long.) W | | Elev | vation (ft) | | | | | | | | | | | | |
| | | | | Soil | | | | | | Counted | Yield | | Test | | | | | | |
| Entr | | | Seed | Applied | Pounds | % Grain | Row | Row | # of | Harvest | @ 13% | | Weight | | Gross | | | | |
| No. | | Variety | Treatment | Insecticide | of Grain | Moisture | Width | Length | Rows | Population | Bu/A | Rank | Lbs/Bu | | Income | | Comment | | |
| | Asgrow | 23X9 | | | 830 | 18.4 | 30 | 632 | 6 | | 59.6 | 3 | 52.5 | \$ | 530.12 | | | | |
| 2 | Asgrow | 22X9 | | | 816 | 14.8 | 30 | 632 | 6 | - | 61.2 | 1 | 56.5 | \$ | 548.58 | 1 | | | |
| 3 | Asgrow | 22X0 | | | 860 | 20.3 | 30 | 632 | 6 | - | 60.3 | 2 | 56.0 | \$ | 534.20 | 2 | | | |
| 4 | Asgrow | 21X9 | | | 796 | 17.4 | 30 | 632 | 6 | - | 57.9 | 4 | 53.0 | \$ | 515.80 | 4 | | | |
| 5 | Syngenta | S20-J5X | | | 742 | 13.7 | 30 | 632 | 6 | - | 56.4 | 8 | 58.4 | \$ | 506.51 | 8 | | | |
| 6 | Asgrow | 20X9 | | | 754 | 14.2 | 30 | 632 | 6 | - | 56.9 | 7 | 58.7 | \$ | 511.15 | 7 | | | |
| 7 | Asgrow | 20X7 | | | 754 | 15.5 | 30 | 632 | 6 | - | 56.1 | 9 | 55.1 | \$ | 501.95 | 9 | | | |
| | Pioneer | P19A14X | | | 734 | 17.1 | 30 | 632 | 6 | _ | 53.6 | 11 | 51.2 | \$ | 477.67 | 14 | | | |
| _ | | | | 1 | | | | | | | | | T | T | | | | | |

766

716

694

744

624

682

680

15.0

14.5

12.4

12.8

12.0

11.5

11.2

30

30

30

30

30

30

30

Soybean MD Plot

632

632

632

632

632

632

632

6

6

6

6

6

6

6

19X0

18X0

17X8

16X0

14X0

14X8

P15A63X

9 Asgrow

10 Asgrow

11 Asgrow

12 Asgrow

13 Pioneer

14 Asgrow

15 Asgrow

BEAN HARVEST FORM

Use Grower Name

513.53

483.37

481.63

513.97

478.17

478.38

435.03 15

6

10

11

5

13

12

Assume: **Selling Price** \$9.00 Per Bushel **Drying Charge** Per Moisture Pt. \$0.02

| | | | | Soil | | | | | | Counted | Yield | | Test | | |
|-------|-------|---------|-----------|-------------|----------|----------|-------|--------|------|------------|-------|------|--------|--------|--------------|
| Entry | | | Seed | Applied | Pounds | % Grain | Row | Row | # of | Harvest | @ 13% | | Weight | Gross | |
| No. | Brand | Variety | Treatment | Insecticide | of Grain | Moisture | Width | Length | Rows | Population | Bu/A | Rank | Lbs/Bu | Income | Rank Comment |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

2019 Soybean Plot Harvest Results

Yield

Test

Counted

| Entry | | | Seed | Applied | Pounds | % Grain | Row | Row | # of | Harvest | @ 13% | | Weight | Gross | |
|-----------|---------------------|---|---------------------|-------------------|-------------------|-------------------|--------------|----------------|-----------|---------------|--------------|----------|--------|--------|--------------|
| No. | Brand | Variety | Treatment | Insecticide | of Grain | Moisture | Width | Length | Rows | Population | Bu/A | Rank | Lbs/Bu | Income | Rank Comment |
| my fields | (in whole or in pa | ompany, including a rt with such change: aid test plot data res | s in language as | do not substant | ially alter the i | meaning), the | GPS coord | dinates for my | | | | or tapes | | | |
| Y | es, my name, field | location (including | GPS coordinates or |), and likeness | may be used i | in publishing to | est plot dat | a results by M | lonsanto. | | | | | | |
| l | agree to publishing | g by Monsanto of my | y test plot data re | sults, but do not | t use my name | e, field location | n or likenes | SS. | | | | | | | |
| Signed: | | | | | | | | | | Grower Signat | ture via han | idheld | | | |
| Date: _ | | | | | | | | | | | | | | | |
| | • | emark of Monsanto ⁻ registered trademark | ٠, | | • | | | iics | | | | | | | |

Soil